



Brookwood Women's Health, P.C.

OB PATIENT GUIDE

New OB Patient Information

Welcome to Brookwood Women's Health. In this packet you will find important information about pregnancy. We are thrilled that you have trusted us to help you through this pregnancy journey!

Our practice consists of 6 physicians and 1 nurse practitioner. Five of our physicians see OB patients: Dr. Deisher, Dr. Straughn, Dr. Freeman, Dr. Patterson and Dr. Falkenstrom. During your pregnancy you will see the same physician for all of your visits, and the majority of the time, your physician will deliver your baby as well. However, in some circumstances, one of the other OB physicians may be the one delivering your baby. Please rest assured that no matter who is at the delivery with you, all of our physicians are here to help you have the best birth experience possible. We do everything we can to respect your wishes while also keeping mom's and baby's best interest in mind.

Our office is open Monday through Thursday from 8:00am to 4:00pm and Friday 8:00am to 11:30am.

If you have any questions, most answers can be found under the Obstetrics tab on our website at www.brookwoodomenshealth.com. If you cannot find what you are looking for, please call us.



Heather
Deisher, MD

Heidi
Straughn, MD

Jack
Freeman, MD

Brandy
Patterson, MD

Allison
Falkenstrom, MD

Madison
Hulker, WHNP



Brookwood Women's Health, P.C.

2006 Brookwood Medical Center Drive, Suite 202 | Birmingham AL 35209

Phone: 205-397-8850 | Fax: 833-450-5671

Prenatal Care Expectations

ANTICIPATED COURSE OF PRENATAL CARE

- You will have an OB visit every 4 weeks until approximately 28 weeks.
- From 28-36 weeks, you will have an OB visit every 2 weeks.
- From 36 weeks until delivery you will have weekly OB visits.
- We do not recommend going more than 1 week past your due date (41 weeks gestational age) due to safety concerns. We will discuss scheduling an induction of labor for you if you have not spontaneously labored by then.
- Some conditions may arise during the course of your pregnancy where increased frequency of visits is warranted.
- Some conditions in pregnancy warrant increased fetal monitoring and ultrasounds in the third trimester.
- Some conditions in pregnancy will require referral to a Maternal Fetal Medicine Specialist.
- We cannot guarantee a female provider will be the one to deliver your baby. However, all of our providers have extensive experience and only want the best for you and your baby.
- The OB Emergency room is open 24 hours a day and is located on the 3rd floor of the Women's Tower.

ULTRASOUNDS DURING PREGNANCY

- Your ultrasound for anatomy and growth will be around 20 weeks.
- Most insurance companies will only pay for two ultrasounds during a normal pregnancy, including those done in the emergency room or in another physician's office. More than two ultrasounds during your pregnancy will not be paid for by your insurance unless your pregnancy is determined to be high risk under Blue Cross Blue Shield or other medical insurance companies' guidelines.
- If your insurance denies payment for ultrasounds, you will be responsible for payment.
- As your physicians, we want to provide you with the best care. There may be times we feel services are necessary for your treatment and care that may not be covered by your insurance. We want to make sure you are informed and understand that you are financially responsible for payment for any non-covered services, including ultrasound.

ELECTIVE ULTRASOUNDS



GENDER REVEAL ULTRASOUND

Find out the gender of your baby at 16 weeks.

This elective ultrasound is available for \$75 by appointment.

4D ULTRASOUND

4D Ultrasound is only available from 28 to 32 weeks.

The price is \$160 pre-paid by credit card or cash.

This includes a CD with all of the pictures from your session.



Prenatal Care Expectations (continued)

MATERNITY INSURANCE BENEFITS

Before their first OB appointment, patients will be contacted regarding maternity benefits and OB Pre-payment. If, for some reason, you have not spoken to anyone about this, PLEASE CONTACT OUR OB COORDINATOR IMMEDIATELY.

- This OB charge only estimates your financial responsibility for expected routine charges during your pregnancy.
- This does not cover any lab testing performed in our office or that we may send to an outside laboratory.
- This does not cover any ultrasound or diagnostic testing performed in our office during the pregnancy.

QUEST LAB BILLING

- We collaborate with a trusted second-party lab, Quest Diagnostics. If you receive a bill from Quest, we advise you to contact them directly for any questions or concerns regarding your bill. Please remember, we are unable to resolve this bill in our office.
- The contact number for Quest is: 1-888-445-5011.

CIRCUMCISION PAYMENT

In the circumstances that your child will be having a circumcision, the billing office requires:

- First and Last Name of child
- Insurance the child will be listed under

The patient will be responsible for \$350.00 if the above information is not provided.

FMLA/DISABILITY FORMS

- Due to the amount of time spent completing FMLA/Disability forms, we find it necessary to charge for these documents. **FMLA: \$20.00** per SET or per revision. **Disability: \$10.00** per PAGE or per revision.
- We do not bill for completed forms. Payment is due at the time you leave your form(s), or when sending form(s) by email or fax. Please give your paperwork and payment to the front desk or at check out. Please allow 7-10 business days for forms to be completed.

LABOR

- Our primary goals for your pregnancy are healthy mom and healthy baby. How we reach that goal is different for every patient.
 - We will try to incorporate your birth preferences as best we can as long as they are safe. Please bring these preferences to us as early as possible so we can guide you as to whether or not these are feasible.
- Many conditions in pregnancy require induction of labor in order to help ensure that both mother and baby are healthy. Induction does not mean cesarean section. It means that we give you medicine in order to start the labor process.
- We recommend fetal monitoring during the labor process so that we can help ensure your baby is tolerating the labor process and is safe.
 - There are wireless monitors available so that you can move around during the labor process as long as both you and baby are tolerating the labor

Prenatal Care Expectations (continued)

- In select circumstances, intermittent monitoring may be an option during the early labor process. However, this will be up to the discretion of the physician as to whether or not this is a safe option for you and your baby.
- During the labor process, we do need to evaluate your cervical dilation every few hours. We will limit these exams as best we can, but they are a necessary part of the labor process.
- Every patient must have an IV during their labor. Artificial rupture of membranes is sometimes necessary during the labor process. When done appropriately, there are minimal risks involved.
- Pitocin is a safe option for both induction of labor or augmentation of labor. It is also an important tool used to prevent excessive bleeding following delivery. It is recommended that everyone receive pitocin in the postpartum to help prevent hemorrhage.
- A cesarean section may be required for the safety of either you or your baby. We will let you know if this is recommended and talk you through the process.
- Pushing is accomplished in a variety of different positions. Sometimes pushing on the back can be the most effective way to push or the safest way for baby to be delivered.
- Vitamin K is recommended for your baby following delivery. Without this medicine, your baby is at increased risk of brain hemorrhages. There are preservative free options available.

POSTPARTUM CARE

- On average, patients who deliver vaginally will stay 2 days in the hospital after delivery. Patients who have a cesarean section will generally stay 3 days in the hospital after delivery.
- We recommend a postpartum visit in our office 4-6 weeks following delivery. Some patients will require earlier postpartum visits. We will let you know if you fall into this category.
- We recommend 18 months between giving birth and your next pregnancy in order to allow your body to fully recover from the pregnancy and birthing process. When pregnancies are too close together, it increases your risk of problems during the subsequent pregnancy. We will help you find the best contraception option for you.

QUESTIONS

Please feel free to contact our office with questions regarding your benefits and coverage. **Should you have any insurance changes, please contact the OB Coordinator immediately so that we can verify your coverage and benefits to ensure accurate patient responsibility.** If we are not made aware of any insurance changes prior to your appointment, you may have to reschedule.

OB COORDINATOR

Phone (205) 397-8846

Fax (833) 450-5271

Email: billing@brookwoodwomenshealth.com

Vaccines We Recommend During Pregnancy

TDAP VACCINE

What? Tetanus Diphtheria and Pertussis, more commonly known as the Whooping Cough.

When? This vaccine is recommended in the third trimester of pregnancy with every pregnancy. We will offer it starting at 28 weeks.

Why? Your infant will not have immunity against the whooping cough until 6 months of age. Getting the TDAP vaccine in pregnancy gives your infant passive immunity for the first 6 months. Whooping cough can cause serious illness and adverse outcomes in newborns. Although less serious in adults, illness can last up to 3 months or more.

FLU VACCINE

When? Flu season is considered from September to February. We recommend it during that time but offer it to pregnant women at any point throughout their pregnancy if they have not received an annual flu vaccine.

Why? The flu vaccine is the best way to help prevent pregnant women and their newborn babies from the flu. Pregnant women are at increased risk for severe illness, pneumonia, and preterm delivery. The flu vaccine can help protect babies from the flu for up to 6 months after birth.

RSV VACCINE

What? Respiratory Syntactical Virus

When? The RSV vaccine is recommended from week 32 to 36 of pregnancy. The most common months of RSV occurrence are September through February, but the vaccine is offered throughout the year.

Why? This vaccine provides protection against RSV in infants for the first 6 months of their life. RSV is one of the most common causes of respiratory illness in infants. From 60,000-80,000 infants are hospitalized each year due to RSV.

These vaccines are recommended by both The College of Obstetrics and Gynecology (ACOG) and the Center for Disease Control (CDC). Common side effects from these vaccines may include soreness, redness and swelling at the injection site. We recommend ensuring that your spouse, parents and grandparents also are up to date on their TDAP vaccine and receive an annual flu vaccination.

Frequently Asked Questions About Medications

WHAT MEDICATIONS ARE **SAFE** DURING PREGNANCY?

The following medications are considered SAFE for use during pregnancy. For greatest effectiveness, use as directed on the package.

- **Allergies:** Claritin, Benadryl, Zyrtec and Allegra
- **Congestion:** Sudafed (not 1st trimester), Mucinex, Sudafed Shower Soothers, Zyrtec, Allegra, Flonase, Netipot
- **Constipation:** Any fiber supplement such as Metamucil; Stool softeners such as Colace and Miralax; Stimulants (use only on occasion) such as Senakot or Milk of Magnesia
- **Cough:** Robitussin, Robitussin DM, Delsym
- **Diarrhea:** Immodium
- **Gas:** Gaviscon, Mylicon, GasX
- **Headache/Pain:** Tylenol (regular or extra-strength)
- **Heartburn:** Antacids (liquids work best), Zantac, Pepcid
- **Nausea:** Emetrol, Sea Bands
- **Sore Throat:** Lozenges and sprays (Chloroseptic, Halls)
- **Yeast Infection:** Monistat, Gynelotrimin
- **Fever:** Tylenol
- **Hemorrhoids:** Preparation H, Tucks pads, Anusol HCL
- **Nausea:** Unisom 25mg and Vitamin B6 25mg take together at bedtime. If symptoms persist, add 1/2 tablet of Unisom and B6 every morning starting day 3. If symptoms persist, add 1/2 tablet of Unisom and B6 at lunch starting day 4.

WHAT MEDICATIONS ARE **UNSAFE** DURING PREGNANCY?

The following substances are considered UNSAFE and SHOULD NOT be used during pregnancy.

- **Alcohol**
- **Cigarettes or other tobacco products**
- **Aspirin**
- **Ibuprofen** (Advil, Motrin)
- **Naproxyn** (Aleve, Anaprox)
- **Other anti-inflammatory agents** (Celebrex, Relafen, Mobic)
- **Tetracycline**
- **Doxycycline**
- **Accutane**

If you have questions about medications, do not use them until you have discussed them with your physician.

DOs and DON'Ts During Pregnancy

FOOD RESTRICTIONS

- DO NOT eat raw meat or fish.
- DO NOT eat raw eggs.
- Do not eat unpasteurized dairy products such as raw cheeses and milks.
- Limit caffeine to 200-300mg per day.
- Cold cuts are fine if stored properly.
- Hot dogs are fine if cooked.
- Most fish are fine. Avoid big-eyed tuna, swordfish, king mackerel, orange roughy, marlin, shark, and tilefish. Limit fish to two servings (12 ounces) a week.
- For more information, visit [foodsafety.gov](https://www.foodsafety.gov).

SWEETENERS

- All artificial sweeteners are safe in pregnancy, but should be used in small amounts.

DENTAL CARE

- Continue routine dental care.
- If X-rays are needed, ask that a lead apron be used.
- Local anesthetics for procedures are safe.
- Avoid use of Nitrous Oxide (Laughing Gas).

ACTIVITY AND EXERCISE

- You should continue your normal activities such as household care, errands, and work.
- Exercise is healthy. We recommend that you exercise 4-5 times a week.
- If you were conditioned to a regimen before pregnancy, continue your exercise routine. Be aware that your heart rate will increase more quickly with less effort during pregnancy.
- After 20 weeks, avoid exercises that place you flat on your back for more than 10 minutes.
- Keep yourself well hydrated before, during and after exercise.
- Allow plenty of time to warm up before exercise AND plenty of time to cool down after exercise.
- Lifting up to 30 pounds is safe during pregnancy.
- Painting with latex paint and use of insect repellents or other aerosols is safe if used in well ventilated areas.
- Avoid dangerous activities such as: skydiving, horseback riding, scuba diving and skiing.

SLEEP

- After 20 weeks, do not sleep flat on your back. This position can compromise blood circulation to yourself and your baby.
- In the third trimester try to lie on your side while sleeping. It does not matter which side you sleep on. Don't be alarmed if you wake up on your back. Your baby is fine.
- Body pillows and Benadryl are safe sleep aids.

DOs and DON'Ts During Pregnancy (continued)

TRAVEL

- There are no limits on travel until the third trimester (around 28 weeks).
- Do not schedule long distance travel after 32 weeks.
- After 34 weeks, it is best to stay within two hours of the hospital.
- Be sure to stretch your legs every two hours while traveling.
- Drink plenty of water.
- We recommend the use of insect repellents.

WATER ACTIVITIES

- Avoid water that is warmer than 104 degrees. Do not spend more than 20 minutes in hot tubs and spas.
- Swimming in a pool, a lake, or the ocean is fine.
- Riding in a boat is fine. AVOID dangerous activities such as water skiing, jet skiing, and Seadoos!
- AVOID scuba diving.

BEAUTY

- You may color or chemically treat your hair at any time in pregnancy.
- Tanning (outdoors or in a tanning bed) is safe as long as you do not get overheated.
- Sunscreen of SPF 50 or more should be used to protect your skin against skin cancer.
- Spray-on tans are safe.
- Manicures/pedicures are safe.

SEXUAL ACTIVITY

- Intercourse during pregnancy is safe.
- Intercourse does not cause preterm labor or miscarriage; however, spotting or light bleeding can occur because of intercourse.
- For comfort, different positioning for intercourse in pregnancy may be necessary.
- Call your physician if heavy vaginal bleeding occurs after intercourse.

When To Call the Doctor

SIGNS OF LABOR

- **Rhythmic contractions:** Contractions will be irregular at first. When contractions become regular and are 5-7 minutes apart for an hour, please call.
- **Broken bag of water:** With ruptured membranes, you will feel a “gush” of fluid which continues to leak. If your water breaks, call for instructions.
- **Heavy bleeding:** Bleeding heavier than the first day of your period can be significant, so please call your doctor. Blood mixed with mucus or the “mucus plug” should cause no alarm. Also bleeding after intercourse is typically no cause for alarm.
- **Decreased fetal movement:** If you notice a significant decrease in the baby’s movements from what you are accustomed to, please let us know. A decrease in the intensity of movements near term is normal.

THINGS TO KNOW WHEN YOU CALL

- **Always call the doctor on call** *before* coming to the emergency room or to labor and delivery for any reason. A phone call may save you a trip to the hospital.
- Have your pharmacy telephone number available.
- If you call, be prepared to come to the hospital if instructed.
- Our answering service telephone number is (205) 930-4358.
- **Please reserve routine calls and refills for office hours.**

Helpful Links for More Information



BROOKWOOD WOMEN'S MEDICAL CENTER

With hotel-like labor and delivery suites and five-star amenities, the Brookwood Women's Medical Center is dedicated to ensuring your newest arrival will arrive in comfort and style. This link has birthing classes, OB information, and information about the hospital for expecting moms.

www.brookwoodwomensmedicalcenter.com/



LIFESOUTH COMMUNITY BLOOD CENTERS

LifeSouth's mission is to provide a safe blood supply that meets or exceeds the needs in each community we serve, and to provide a variety of services in support of ongoing and emerging blood and transfusion-related activities.

www.lifesouth.org

LIFESOUTH CORD DONATION

LifeSouth Cord Blood Bank is a community-based public cord blood bank that collects and stores umbilical cord blood for the purpose of clinical cures and research in the field of stem cell transplantation. Our Mission is to provide hematopoietic stem cells from umbilical cord blood collections that meet or exceed industry standards for clinical transplantation worldwide.

www.lifesouth.org/cord-blood-bank/about-us/



NATERA NIPT

Natera™ is a global leader in cell-free DNA (cfDNA) testing, dedicated to oncology, women's health, and organ health. We aim to make personalized genetic testing and diagnostics part of the standard of care to protect health and inform earlier, more targeted interventions that help lead to longer, healthier lives.

www.natera.com

PANORAMA OVERVIEW V5

Panorama is a blood-based genetic, prenatal screening test of the pregnant mom that screens for common chromosomal conditions that affect a baby's health. Panorama uses unique SNP*-based technology to deliver the most accurate NIPT on the market.

www.natera.com/womens-health/panorama-nipt-prenatal-screening/

Birmingham Area Pediatric Practices

JEFFERSON COUNTY DEPARTMENT OF HEALTH CENTER INFORMATION

The Department of Health provides outpatient health care for under-insured and uninsured residents. These centers are open from 7:45 a.m. to 4:30 p.m. M-F (except on Holidays) and accept patients with the following health coverage: Medicaid, AllKids, Blue Cross and Medicare. However, JCOH does not accept patients who are enrolled in other insurance programs including patients enrolled in an HMO or with TriCare, except for patients wishing to receive family planning services only.

Central Health Center

1400 Sixth Avenue South
Birmingham, AL 35233
205-933-9110 / Fax 205-930-1156
Dr. Lee Beisher
Dr. Stephen Mallard

Eastern Health Center

601 West Boulevard Roebuck
Birmingham, AL 35206
205-591-5180 / Fax 205-592-2406
Dr. Rosemary Faust
Dr. Laura Burns
Dr. Lisa Burroughs

Western Health Center

631 Bessemer Super Highway
Midfield, AL 35228
205-715-6121 / Fax 205-715-6192
Dr. Maria Myers
Dr. Vera Egorshin
Dr. Joni Gill

WESTERN AREA

Babi Pediatrics 459

6250 Park South Drive
Bessemer, AL 35022
205-425-5440 / Fax 205-425-5513
Bassam Babi, MD
Amy Wadsworth, NP
*Accepts Medicaid

Children's Pediatrics West – Bessemer (at UAB Metro West)

1090 9th Avenue SW, Suite 100
Bessemer, AL 35022
205-481-1886 / Fax 205-481-9034
Alternate Fax 205-638-5570
Janet Harris, MD
Hugh Cheek, MD
Catherine Cotney, MD
Stephen McClanahan, MD
Charles Schlapp, MD
*Accepts Medicaid

Children's Pediatrics West – McAdory

4730 Bell Hill Road
Bessemer, AL 35022
205-426-3010 / Fax 205-481-9034
Alternate Fax 205-434-9262
Abby Allen, MD
Charlotte Prejean, MD
Tracy Brookings, MD
Mekeisha Pickens, MD
Margaret (Maggie) Wester, MD
*Accepts Medicaid

Morgan Pediatrics

2010 Avenue F Ensley
Birmingham, AL 35218
205-785-7337 / Fax 205-788-4767
Rosalyn Morgan, MD
*Accepts Medicaid

Simon-Williamson Clinic

832 Princeton Avenue SW
Birmingham, AL 35211
205-206-8480 / Fax 205-206-8300
Kenneth Elmer, MD
Elizabeth Sahlie, MD
Natalie Tibbetts, MD
Suzanne Wallace, MD
Nancy Zumstein, MD
*Accepts Medicaid

Birmingham Area Pediatric Practices (continued)

SOUTHERN AREA

Acton Road Pediatrics

2409 Acton Road, Suite 171
Birmingham, AL 35243
205-978-8245 / Fax 205-978-8249
Sheridyn Breedlove, MD
Alison McAfee, MD
Tiffany Moore, MD
Lisa Frees, MD

Alabaster Pediatrics

1004 1st Street North, Suite 370
Alabaster, AL 35007
205-663-5547 / Fax 205-663-1990
Tracey Butcher, MD
Paula Johnson, MD
Holly Johnson, MD
Patti Schroder, MD

Greenvale Pediatrics – Alabaster

1022 1st Avenue NE, Suite 102
Alabaster, AL 35007
205-663-9550 / Fax 205-638-3935
Robert Bashinsky, MD
Clayton Buie, MD
Drew Buie, MD
Annette Cosgrove, MD
Ian Flaniken, MD
Joseph Jolly, MD
Kami Sester, MD
Todd Washko, MD
*Accepts Medicaid

Greenvale Pediatrics – Brook Highland

101 Eagle Ridge Drive
Birmingham, AL 35242
205-995-1004 / Fax 205-991-6075
Victoria Anderson, MD
Clayton Dugan, MD
Elizabeth Irons, MD
Darby McElderry, MD
Kelly L. McMillian, MD
Jamie Odrezin, MD
Victoria Sivils, MD
*Accepts Medicaid

Greenvale Pediatrics – Hoover

5295 Preserve Parkway, Suite 10
Birmingham, AL 35244
205-987-4444 / Fax 205-987-4451
Toren Anderson, MD
Dan Carter, MD
John Cortopassi, MD
Brian Dudgeon, MD
Sarah Spencer, MD
Julia Stewart, MD
Jeffery Stone, MD
Drew Wright, MD

Liberty Mountain Pediatrics

4600 US-280 #103
Birmingham, AL 35242
205-709-1650 / Fax 205-709-1649
Anne Byars, MD
Whitney Ford, DNP, CPNP

Pathway Pediatrics

398 Chesser Drive, Suite 7
Chelsea, AL 35043
205-678-1286 / Fax 205-618-9696
Leslie Sawyer, MD
Alice Hardy, MD
*Accepts Medicaid

Southlake Pediatrics

5000 Southlake Parkway, Suite 250
Birmingham, AL 35244
205-982-2500 / Fax 205-982-2574
Edward “Butch” Goldblatt, MD
Andrew McCown, MD
Margaret Winkler, MD
*Accepts Medicaid for Existing
Patients Only

NORTHERN AREA

Healthy Kids of Gardendale

1127 Pecan Avenue, Suite 100
Gardendale, AL 35071
205-608-2055 / Fax 205-608-2045
Suzanne Stuckey, MD
Patricia Harris, MD

North Jefferson Pediatrics

1326 Main Street
Gardendale, AL 35071
205-608-1233 / Fax 205-608-1833
Fadell Savany, MD
Mario Davila, MD
*Accepts Medicaid

UAB Primary Care Gardendale

960 Rocket Way
Gardendale, AL 35071
205-631-3452 / Fax 205-631-3173
Sarah P. Cribbs, MD
J. Tyler Fuqua, MD
Sarah Mayberry, MD
Thomas McLean Tyner, MD

Birmingham Area Pediatric Practices (continued)

OVER THE MOUNTAIN AREA

Alabama Pediatrics

2815 Independence Drive
Birmingham, AL 35209
205-879-7888 / Fax 205-879-6822
Amy Albert, MD
Robert Levin, MD
Heath Pelham, MD
Keith Stansell, MD
Mary O'Neil, MD

Mayfair Pediatrics

3401 Independence Drive
Birmingham, AL 35209
205-870-1273 / Fax 205-870-1276
Jamie Powell, MD
Christina Fettig, MD
Stacey Gilbert, MD
Judith Habeeb, MD
Kristin Mizerany, MD

Elizabeth Peters, MD
Gretel Russell, MD
Nathan Owens, MD
*Accepts Medicaid

Over the Mountain Pediatrics

3300 Cahaba Road, Suite 102
Shades Brook Building
Birmingham, AL 35223
205-870-7292 / Fax 205-870-3639
Courtney Baxley, MD
Lisa Conry, MD
Julie Dennis, MD
Elizabeth Hodges, MD
Elizabeth Luke, MD
Virginia Menendez, MD
Melisa Wilson, MD
*Accepts Medicaid

Vestavia Pediatrics

1936 Old Orchard Road
Birmingham, AL 35216
205-978-3200 / Fax 205-978-3211
Elizabeth Crum, MD
Joseph Hamm, MD
William Hardwick, MD
John Simpson, MD
Richard Stone, MD
*Accepts Medicaid

EASTERN AREA

Christ Health Chalkville

2152 Old Springville Road
Birmingham, AL 35215
205-838-6000 / Fax 205-838-6078

Pediatrics East

6729 Deerfoot Parkway
Pinson, AL 35126
205-681-5377 / Fax 205-212-7102
Diane Dietlein, MD
Phillip Harmon, MD
Diane Kutny, MD
Mark Lytle, MD
Michael Miller, MD
*Accepts Medicaid for Newborns

Pediatrics East – Trussville

520 Simmons Drive
Trussville, AL 35173
205-836-8691 / Fax 205-212-7192
Angela Redmond, MD
Katherine Rochelle, MD
Peily Soong, MD
Rebecca Webster, MD
Ann-Katrin Wilson, MD
Garland Youngblood, MD
*Accepts Medicaid for Newborns

Pell City Pediatrics

2850 Dr. John Hayes Drive
Pell City, AL 35125
205-884-2260 / Fax 205-884-2351
Farzana Malik, MD
Irfan Rahim, MD
Rubina Siddiqui, MD
*Accepts Medicaid

Tots 'N Teens Pediatrics

3729 Mary Taylor Road
Birmingham, AL 35235
205-856-4440 / Fax 205-856-4445
Steven Barron, MD
Delinda Davis, MD
Anastasia Nelson, MD
Allison Holt, MD
Elizabeth Law, MD
*Accepts Medicaid

UAB Health Center – Leeds

1141 Payton Way
Leeds, AL 35094
205-699-0729 / Fax 205-699-0662
Stephen Russell, MD
Hennessy Williams, MD
Carlie Somerville, MD
Sarah Bragg, MD
*Accepts Medicaid

Birmingham Area Pediatric Practices (continued)

DOWNTOWN AREA

Birmingham Pediatrics Associates

806 St. Vincent's Drive, Suite 615
Birmingham, AL 35205
205-933-2750 / Fax 205-939-4614
Patrick Farr, MD
Liesel French, MD
Teresa Goldsmith, MD
Max Hale, MD
Kelli Tapley, MD
Robert Sellers, MD
James Wamack, MD

Children's Medical Group

2316 7th Avenue South, Suite 100
Birmingham, AL 35283
205-251-4141 / Fax 205-251-2004
Tracy Tindle, MD
Stephanie Denton, MD
*Accepts Medicaid

Christ Health Live Oaks Clinic

5804 1st Avenue South
Birmingham, AL 35212
205-972-0264 / Fax 205-972-0267

Christ Health Woodlawn

5720 1st Avenue South
Birmingham, AL 35212
205-380-9455 / Fax 205-380-9459

Dr. Joseph Rogers

3940 Montclair Road, Suite 404
Birmingham, AL 35213
205-871-4123 / Fax 205-871-4416

Magnolia Pediatrics

1621 11th Avenue South
Birmingham, AL 35205
205-930-9500 / Fax 205-930-9593
Paul Amamoo, MD
Jackie Stewart, MD
*Accepts Medicaid

Metro Pediatrics

401 Valley Avenue
Birmingham, AL 35209
205-941-1414 / Fax 205-941-1313
Derrol Dawkins, MD
*Accepts Medicaid

Midtown Pediatrics

1400 4th Avenue South
Birmingham, AL 35233
205-329-7200 / Fax 205-329-7250
Alternate Fax 205-638-3857
Theresa Bolus, MD
Lauree Jones, MD
Ashley Beasley, MD
Lisa Venable, MD
Malissa Wall, MD
Amy McCollum, MD
*Accepts Medicaid

UAB Sparks Pediatrics

930 20th Street South, Suite 101
Birmingham, AL 35205
205-934-5471 / Fax 205-975-2380
Snehal Khatri, MD
*Accepts Medicaid